



SINGLE REDUCTION SOLID SHAFT OUTPUT STYLES



Stock Styles

Modified Stock Styles

Using off-the-shelf accessories, stock styles BMQ, BM and B can be field or factory modified into a wide range of styles. See page 150 for details.

Style BMQ

Horizontal Base Worm Over

Horizontal Base Worm Under

Horizontal Base Worm Center

Style TMQ

Style UMQ*

Style RMQ

**MOTORIZED
C FLANGE
QUILL
INPUT**



Ratings: Pages 12-33
Dimensions: Page 56

Ratings: Pages 12-33
Dimensions: Page 58

Ratings: Pages 12-33
Dimensions: Page 62

Ratings: Pages 12-33
Dimensions: Page 60

Style BM

Style TM

Style UM*

Style RM

**MOTORIZED
C FLANGE
FLEXIBLE
COUPLING
INPUT**



Ratings: Pages 12-33
Dimensions: Page 56

Ratings: Pages 12-33
Dimensions: Page 58

Ratings: Pages 12-33
Dimensions: Page 62

Ratings: Pages 12-33
Dimensions: Page 60

Style B

Style T

Style U*

Style R

**NON-
FLANGED**



Ratings: Pages 12-33
Dimensions: Page 57

Ratings: Pages 12-33
Dimensions: Page 59

Ratings: Pages 12-33
Dimensions: Page 63

Ratings: Pages 12-33
Dimensions: Page 61

* Not a recommended mounting style.
Consult LEESON for selection assistance.

Additional accessories, options and assembly services are available,
contact LEESON for details.

**Vertical
 Input Shaft**

Style JMQ



Ratings: Pages 12-33
 Dimensions: Page 64

**Vertical Output Shaft
 Low Base**

Style VLMQ **



Ratings: Pages 12-33
 Dimensions: Page 66

**Vertical Output Shaft
 High Base**

Style VHMQ **



Ratings: Pages 12-33
 Dimensions: Page 68

**Flange Mounted
 Output Shaft**

Style FMQ



Ratings: Pages 12-33
 Dimensions: Page 70

Style JM



Ratings: Pages 12-33
 Dimensions: Page 64

Style VLM **



Ratings: Pages 12-33
 Dimensions: Page 66

Style VHM **



Ratings: Pages 12-33
 Dimensions: Page 68

Style FM



Ratings: Pages 12-33
 Dimensions: Page 70

Style J



Ratings: Pages 12-33
 Dimensions: Page 65

Style VL **



Ratings: Pages 12-33
 Dimensions: Page 67

Style VH **



Ratings: Pages 12-33
 Dimensions: Page 69

Style F



Ratings: Pages 12-33
 Dimensions: Page 71

** SPECIFY SHAFT UP OR DOWN FOR THESE STYLES.



SINGLE REDUCTION HOLLOW SHAFT OUTPUT STYLES



Stock Styles

Modified Stock Styles

Using off-the-shelf accessories, stock styles HMQ, HM and H can be field or factory modified into a wide range of styles. See page 150 for details.

Style HMQ

**MOTORIZED
C FLANGE
QUILL
INPUT**



Style JHMQ

**Vertical
Input Shaft**



Ratings: Pages 12-33
Dimensions: Page 74

Ratings: Pages 12-33
Dimensions: Contact LEESON

Style HM

**MOTORIZED
C FLANGE
FLEXIBLE
COUPLING
INPUT**



Style JHM



Ratings: Pages 12-33
Dimensions: Page 74

Ratings: Pages 12-33
Dimensions: Contact LEESON

Style H

NON-FLANGED



Style JH



Ratings: Pages 12-33
Dimensions: Page 75

Ratings: Pages 12-33
Dimensions: Contact LEESON

Additional accessories, options and assembly services are available, contact LEESON for details.

**Vertical Output Shaft
Low Base**

Style VLHMQ



Ratings: Pages 12-33
Dimensions: Contact LEESON

**Vertical Output Shaft
High Base**

Style VHMQ



Ratings: Pages 12-33
Dimensions: Contact LEESON

**Flange Mounted
Output Shaft**

Style FHMQ



Ratings: Pages 12-33
Dimensions: Page 76

Style VLHM



Ratings: Pages 12-33
Dimensions: Contact LEESON

Style VHMM



Ratings: Pages 12-33
Dimensions: Contact LEESON

Style FHM



Ratings: Pages 12-33
Dimensions: Page 76

Style VLH



Ratings: Pages 12-33
Dimensions: Contact LEESON

Style VHH



Ratings: Pages 12-33
Dimensions: Contact LEESON

Style FH



Ratings: Pages 12-33
Dimensions: Page 77