



# SINGLE REDUCTION SOLID SHAFT OUTPUT STYLES



## Stock Styles

## Modified Stock Styles

Using off-the-shelf accessories, stock styles BMQ, BM and B can be field or factory modified into a wide range of styles. See page 150 for details.

### Style BMQ

### Horizontal Base Worm Over

### Horizontal Base Worm Under

### Horizontal Base Worm Center

### Style TMQ

### Style UMQ\*

### Style RMQ

**MOTORIZED  
C FLANGE  
QUILL  
INPUT**



Ratings: Pages 12-33  
Dimensions: Page 56

Ratings: Pages 12-33  
Dimensions: Page 58

Ratings: Pages 12-33  
Dimensions: Page 62

Ratings: Pages 12-33  
Dimensions: Page 60

### Style BM

### Style TM

### Style UM\*

### Style RM

**MOTORIZED  
C FLANGE  
FLEXIBLE  
COUPLING  
INPUT**



Ratings: Pages 12-33  
Dimensions: Page 56

Ratings: Pages 12-33  
Dimensions: Page 58

Ratings: Pages 12-33  
Dimensions: Page 62

Ratings: Pages 12-33  
Dimensions: Page 60

### Style B

### Style T

### Style U\*

### Style R

**NON-  
FLANGED**



Ratings: Pages 12-33  
Dimensions: Page 57

Ratings: Pages 12-33  
Dimensions: Page 59

Ratings: Pages 12-33  
Dimensions: Page 63

Ratings: Pages 12-33  
Dimensions: Page 61

\* Not a recommended mounting style.  
Consult LEESON for selection assistance.

Additional accessories, options and assembly services are available,  
contact LEESON for details.

**Vertical  
Input Shaft**

**Style JMQ**



Ratings: Pages 12-33  
Dimensions: Page 64

**Vertical Output Shaft  
Low Base**

**Style VLMQ \*\***



Ratings: Pages 12-33  
Dimensions: Page 66

**Vertical Output Shaft  
High Base**

**Style VHMQ \*\***



Ratings: Pages 12-33  
Dimensions: Page 68

**Flange Mounted  
Output Shaft**

**Style FMQ**



Ratings: Pages 12-33  
Dimensions: Page 70

**Style JM**



Ratings: Pages 12-33  
Dimensions: Page 64

**Style VLM \*\***



Ratings: Pages 12-33  
Dimensions: Page 66

**Style VHM \*\***



Ratings: Pages 12-33  
Dimensions: Page 68

**Style FM**



Ratings: Pages 12-33  
Dimensions: Page 70

**Style J**



Ratings: Pages 12-33  
Dimensions: Page 65

**Style VL \*\***



Ratings: Pages 12-33  
Dimensions: Page 67

**Style VH \*\***



Ratings: Pages 12-33  
Dimensions: Page 69

**Style F**



Ratings: Pages 12-33  
Dimensions: Page 71

\*\* SPECIFY SHAFT UP OR DOWN FOR THESE STYLES.



# SINGLE REDUCTION HOLLOW SHAFT OUTPUT STYLES



## Stock Styles

## Modified Stock Styles

Using off-the-shelf accessories, stock styles HMQ, HM and H can be field or factory modified into a wide range of styles. See page 150 for details.

### Style HMQ

**MOTORIZED  
C FLANGE  
QUILL  
INPUT**



### Style JHMQ

**Vertical  
Input Shaft**



Ratings: Pages 12-33  
Dimensions: Page 74

Ratings: Pages 12-33  
Dimensions: Contact LEESON

### Style HM

**MOTORIZED  
C FLANGE  
FLEXIBLE  
COUPLING  
INPUT**



### Style JHM



Ratings: Pages 12-33  
Dimensions: Page 74

Ratings: Pages 12-33  
Dimensions: Contact LEESON

### Style H

**NON-FLANGED**



### Style JH



Ratings: Pages 12-33  
Dimensions: Page 75

Ratings: Pages 12-33  
Dimensions: Contact LEESON

Additional accessories, options and assembly services are available, contact LEESON for details.

**Vertical Output Shaft  
Low Base**

**Style VLHMQ**



Ratings: Pages 12-33  
Dimensions: Contact LEESON

**Vertical Output Shaft  
High Base**

**Style VHMQ**



Ratings: Pages 12-33  
Dimensions: Contact LEESON

**Flange Mounted  
Output Shaft**

**Style FHM**



Ratings: Pages 12-33  
Dimensions: Page 76

**Style VLHM**



Ratings: Pages 12-33  
Dimensions: Contact LEESON

**Style VHMM**



Ratings: Pages 12-33  
Dimensions: Contact LEESON

**Style FHM**



Ratings: Pages 12-33  
Dimensions: Page 76

**Style VLH**



Ratings: Pages 12-33  
Dimensions: Contact LEESON

**Style VHH**



Ratings: Pages 12-33  
Dimensions: Contact LEESON

**Style FH**



Ratings: Pages 12-33  
Dimensions: Page 77