



DOUBLE REDUCTION • WORM / WORM SOLID SHAFT OUTPUT STYLES



OHIO GEAR™

Double Reduction
Worm/Worm Gear Reducers

Stock Styles

Modified Stock Styles

Using off-the-shelf accessories, stock styles DMQ, DM and D can be field or factory modified into a wide range of styles. See page 150 for details.

**MOTORIZED
C FLANGE
QUILL
INPUT**

Style DMQ



**Horizontal Base
Worm Over**

Style DTMQ



**Horizontal Base
Worm Under**

Style DUMQ *



Ratings: Pages 84-86
Dimensions: Page 88

Ratings: Pages 84-86
Dimensions: Page 90

Ratings: Pages 84-86
Dimensions: Page 92

**MOTORIZED
C FLANGE
FLEXIBLE
COUPLING
INPUT**

Style DM



Style DTM



Style DUM *



Ratings: Pages 84-86
Dimensions: Page 88

Ratings: Pages 84-86
Dimensions: Page 90

Ratings: Pages 84-86
Dimensions: Page 92

NON-FLANGED

Style D



Style DT



Style DU *



Ratings: Pages 84-86
Dimensions: Page 89

Ratings: Pages 84-86
Dimensions: Page 91

Ratings: Pages 84-86
Dimensions: Page 93

* Not a recommended mounting style.
Consult LEESON for selection assistance.

Additional accessories, options and assembly services are available,
contact LEESON for details.

**Vertical
 Input Shaft**

Style DJMQ



Ratings: Pages 84-86
 Dimensions: Page 94

**Vertical Output Shaft
 Low Base**

Style DVLMQ **



Ratings: Pages 84-86
 Dimensions: Page 96

**Vertical Output Shaft
 High Base**

Style DVHMQ **



Ratings: Pages 84-86
 Dimensions: Page 98

**Flange Mounted
 Output Shaft**

Style DFMQ



Ratings: Pages 84-86
 Dimensions: Page 100

Style DJM



Ratings: Pages 84-86
 Dimensions: Page 94

Style DVLM **



Ratings: Pages 84-86
 Dimensions: Page 96

Style DVHM **



Ratings: Pages 84-86
 Dimensions: Page 98

Style DFM



Ratings: Pages 84-86
 Dimensions: Page 100

Style DJ



Ratings: Pages 84-86
 Dimensions: Page 95

Style DVL **



Ratings: Pages 84-86
 Dimensions: Page 97

Style DVH **



Ratings: Pages 84-86
 Dimensions: Page 99

Style DF



Ratings: Pages 84-86
 Dimensions: Page 101

** SPECIFY SHAFT UP OR DOWN FOR THESE STYLES.



DOUBLE REDUCTION • WORM / WORM HOLLOW SHAFT OUTPUT STYLES



Double Reduction
Worm/Worm Gear Reducers


Stock Styles

Modified Stock Styles

Using off-the-shelf accessories, stock styles DHMQ, DHM and DH can be field or factory modified into a wide range of styles. See page 150 for details.

Style DHMQ

**MOTORIZED
C FLANGE
QUILL
INPUT**



Style DJHMQ

**Vertical
Input Shaft**



Ratings: Pages 84-86
Dimensions: Page 102

Ratings: Pages 84-86
Dimensions: Contact LEESON

Style DHM

**MOTORIZED
C FLANGE
FLEXIBLE
COUPLING
INPUT**



Style DJHM



Ratings: Pages 84-86
Dimensions: Page 102

Ratings: Pages 84-86
Dimensions: Contact LEESON

Style DH

NON-FLANGED



Style DJH



Ratings: Pages 84-86
Dimensions: Page 103

Ratings: Pages 84-86
Dimensions: Contact LEESON

Additional accessories, options and assembly services are available, contact LEESON for details.

**Vertical Output Shaft
Low Base**

Style DVLHMQ



Ratings: Pages 84-86
Dimensions: Contact LEESON

**Vertical Output Shaft
High Base**

Style DVHHMQ



Ratings: Pages 84-86
Dimensions: Contact LEESON

**Flange Mounted
Output Shaft**

Style DFHMQ



Ratings: Pages 84-86
Dimensions: Page 104

Style DVLHM



Ratings: Pages 84-86
Dimensions: Contact LEESON

Style DVHHM



Ratings: Pages 84-86
Dimensions: Contact LEESON

Style DFHM



Ratings: Pages 84-86
Dimensions: Page 104

Style DVLH



Ratings: Pages 84-86
Dimensions: Contact LEESON

Style DVHH



Ratings: Pages 84-86
Dimensions: Contact LEESON

Style DFH



Ratings: Pages 84-86
Dimensions: Page 105