



COMMUTATION ENCODER CONNECTIONS		
PIN	COLOR	FUNCTION
1	RED	Vcc
2	BROWN	OUTPUT A
3	BLUE	OUTPUT B
4	ORANGE	OUTPUT Z
5	VIOLET	OUTPUT U
6	WHT/BRN	OUTPUT V
7	WHT/ORN	OUTPUT W
8	WHT/BLK	CASE GND
9	BLACK	COMMON
10	WHITE	OUTPUT A'
11	GREEN	OUTPUT B'
12	YELLOW	OUTPUT Z'
13	GRAY	OUTPUT U'
14	WHT/RED	CHANNEL V'
15	WHT/YEL	CHANNEL W'
16	SHIELD	CABLE SHIELDED

MOTOR CONNECTIONS		
PIN	COLOR	FUNCTION
1	RED	PHASE R
2	WHITE	PHASE S
3	BLACK	PHASE T
4	BARE	SHIELD-TO CASE GROUND



REVISIONS			
REV	DESCRIPTION	DATE	APPD
P1	PRELIMINARY	9-11-06	
P2	PRELIMINARY	9-12-06	
P3	PRELIMINARY	9-25-06	
P4	PRELIMINARY	10-16-06	



COMMUTATION ENCODER CHARACTERISTICS	
INPUT POWER	5 VDC ±10%
LINE COUNT	1000
FREQUENCY RESPONSE	500 kHz
MINIMUM EDGE SEPERATION	45° ELECTRICAL



MOTOR PARAMETERS @25°C		MODEL	MODEL	MODEL	
	TOL.	UNITS	I2351	I2352	I2353
MAX. OPERATING SPEED (S _n)	MAX.	R.P.M.	12,000	12,000	12,000
CONTINUOUS TORQUE (T _c)	MAX.	OZ-IN	16	28	41
PEAK TORQUE (T _p)	MAX.	OZ-IN	40.0	75.2	110.4
CONTINUOUS CURRENT (I _c)	MAX.	AMPS	7.74	7.20	7.02
PEAK CURRENT (I _p)	MAX.	AMPS	20.6	19.3	18.9
TORQUE SENSITIVITY (K _t)	±10%	OZ-IN/AMPS	1.94	3.89	5.83
BACK EMF CONSTANT (K _e) (L-L, D.C.)	±10%	V/K R.P.M.	1.44	2.88	4.32
D.C. RESISTANCE (R _t) (L-L)	±10%	OHMS	0.33	0.46	0.56
INDUCTANCE (L) (L-L)	±15%	mH	0.38	0.60	1.00
ROTOR INERTIA (J _r)	NOM.	OZ-IN-SEC ²	0.0005	0.0010	0.0013
FRICTION TORQUE (T _f)	NOM.	OZ-IN	1.6	2.4	3.2
DAMPING TORQUE (T _d)	NOM.	OZ-IN/KRPM	0.08	0.13	0.18
WINDING TEMPERATURE	MAX.	°C	125	125	125
WEIGHT	NOM.	LBS	1.0	1.5	2.1
LENGTH	±.06[1.5]	IN [MM]	2.96 [75.2]	3.56 [90.4]	4.16 [105.6]



DIMENSIONS: INCHES [MILLIMETERS]
NOTE: THIS DRAWING HAS BEEN CREATED BY AUTOCAD.
MANUAL REVISIONS ARE NOT ALLOWED.

DESIGNED BY	DATE	SIZE	NUMBER
CHECKED BY		C	12350 SERIES
APPROVED BY		SCALE 1:1	SHEET 1 of 1

THIS DRAWING AND THE INFORMATION DISCLOSED HEREIN ARE PROPRIETARY DATA OF MOTION CONTROL GROUP, AND IS TO BE IMMEDIATELY RETURNED UPON REQUEST. REPRODUCTION OF THIS DRAWING OR THE INFORMATION CONTAINED HEREIN IS PROHIBITED WITHOUT THE EXPRESSED WRITTEN APPROVAL OF MCG.